


THE Fabrication Guide



FOME-COR® DISPA® SINTRA® GATOR® LUMEX® G DIBOND®

Quick reference sheet for possible fabrication methods for 3A products

	Mounting	Repositioning Vinyl	Digital Printing	Screen Printing	Painting	Knife Cutting	Saw Cutting	Routing	Die Cutting / Punching	Embossing	Forming Curves	Creasing
\$ FOME-COR ValuBoard	◇					◇			◇	◇		
FOME-COR	◇		◇	◇	◇ ³	◇			◇	◇		
FOAM-X Recovery	◇		◇	◇	◇ ³	◇			◇			
FOME-COR Acid-Free	◇ ⁰					◇			◇			
FOME-COR Heat-Activated	◇					◇			◇	◇		
FOME-COR Canvas			◇	◇	◇	◇			◇	◇		
FOME-COR JetMount	◇		◇	◇	◇ ³	◇	◇	◇	◇	◇		
FOME-COR Self-Adhesive	◇					◇			◇	◇		
\$\$ DISPA	◇		◇	◇	◇	◇		◇	◇		◇	◇
SINTRA Construct	◇ ¹	◇			◇	◇ ⁴	◇	◇	◇ ⁵		◇	
SINTRA Vers	◇ ¹	◇	◇	◇	◇	◇ ⁴	◇	◇	◇ ⁵		◇	
SINTRA	◇ ¹	◇	◇	◇	◇	◇ ⁴	◇	◇	◇ ⁵		◇	
SINTRA Eclipse	◇ ¹	◇	◇	◇	◇	◇ ⁴	◇	◇	◇ ⁵		◇	
GATORPLAST	◇	◇	◇	◇	◇ ³	◇	◇	◇	◇ ⁵			
GATORFOAM / GATORFOAM Pro	◇		◇	◇ ²	◇ ³		◇	◇				
LUMEX G	◇	◇	◇	◇	◇		◇	◇	◇		◇	
e-panel / epL-5	◇ ¹	◇	◇	◇	◇		◇	◇	◇ ⁶			
\$\$\$ DIBOND	◇ ¹	◇	◇	◇	◇		◇	◇	◇ ⁶		◇	

Trialing is recommended to ensure suitability for the proposed fabrication before full-scale commercialization.

- 0 Archival conservation mounting
- 1 Cold mounting techniques only
- 2 Face priming will provide better results
- 3 Do not expose polystyrene foam to solvent-based paints
- 4 1-3mm may be cut with a knife or blade
- 5 May be die cut in gauges up to 5mm or 3/16"
- 6 Punch press die set is required